

Appendix 1C – LVA Methodology



APPENDIX 1C - LVA METHODOLOGY

Introduction

1.1. This appendix sets out the methodology used for the Derril Water Solar Farm Landscape and Visual Appraisal (LVA). Based on a non-EIA development¹ an LVA has been undertaken following the approach for Landscape and Visual Assessment (LVIA) set out in GLVIA3². For non-EIA development types, the Landscape Institute (LI) GLVIA3 Statement of Clarification³ states that:

"In carrying out appraisals, the same principles and process as LVIA may be applied but, in so doing, it is not required to establish whether the effects arising are, or are not, significant given that the exercise is not being undertaken for EIA purposes."

- 1.2. The scope of the LVA methodology reflects the fact that the Development does not require EIA in the following ways:
 - This appraisal does not provide judgment on the relative level of 'significance' of landscape and visual effects, given this terms relation to formal EIA; and
 - The term 'degree' of landscape or visual effect is used rather than 'significance'.
- 1.3. LVA methodology is based on the approach set out in in the GLVIA3, along with other best practice, which are taken into consideration when determining professional judgement. Whilst this LVA is not for an Environmental Impact Assessment (EIA) development type, it follows much the same approach. The GLVIA3 guidance states that the level of assessment should be proportional to the scale of the project and the nature of the likely effects.
- 1.4. Together with the GLVIA3 the following guidance was also taken into consideration:
 - Department of the Environment and Local Government. (June 2000) Landscape and Landscape Assessment;
 - The Environmental Protection Agency (EPA) (2003) Advice Notes for Preparing Environmental Impact Statements and 2017 Draft Guidelines on the information to be contained in Environmental Impact Assessment Reports (EIAR);



¹ As confirmed with County Offlay during consultation

² Landscape Institute and the Institute of Environmental Assessment (2013) Guidelines for Landscape and Visual Impact Assessment, 3rd Edition (GLVIA3)

³ Landscape Institute Statement of Clarification 1/13, 10th June 2013

- BRE (2013) Planning guidance for the development of large-scale ground mounted solar PV systems;
- SNH (2017) Visual Representation of wind farms, Version 2.2;
- Landscape Institute (2019) Residential Visual Amenity Assessment (RVAA) Technical Guidance Note 2/19; and
- Landscape Institute (2019) Technical Guidance Note 06/19 Visual representation of development proposals).

Desk Based & Field Studies

Study Area

1.5. An initial study area of 5km was chosen for this project based on the potential influence of the Proposed Development and professional judgement. During fieldwork it was identified that the Application Site was largely contained by its low elevation, existing boundary vegetation and by field boundary vegetation and woodland in close proximity. A focused 2km study area was therefore applied to assess landscape visual effects. This extent has been adopted based on professional judgement and has adopted by Neo Environmental on other LVAs and LVIAs conducted for solar farms in the UK and Ireland.

Desktop Study

1.6. An initial desktop study was undertaken to help establish the baseline and initial understanding of the landscape resources, potential views and visual amenity within the 5km study zone. This was done by reviewing a number of paper and online sources including County Development Plans, Council planning application searches, OSI maps and Google Earth aerial mapping, and the ZTV coverage.

Fieldwork Survey

1.7. Fieldwork was carried out in August and November 2020 to help verify the desktop data and gain a greater understanding of how the Proposed Development would interact with the existing landscape and visual amenity within the focused 2km study area. The viewpoint photography was undertaken at the same time.

ZTV

1.8. A 'bare earth' Zone of Theoretical Visibility ("ZTV") (Figures 1.3a, Appendix 1A), was computer generated based on a combination of the Application Site's detailed topographical survey and OS terrain data of the surrounding area, with the viewer height set at 2m high and the maximum height of the solar arrays set at 2.8m. The ZTV does not account for any elements



in the landscape such as trees, hedgerows, walls or buildings that may help screen views, nor account for the influences of the weather upon any views. It therefore represents a 'worst case scenario'; nonetheless the ZTV is a useful computer-generated tool for determining the potential visibility of the Proposed Development and initial selection of viewpoints for the visual appraisal.

Viewpoints & Photography

- 1.9. A total of ten representative viewpoints were chosen from a range of locations and receptors; each viewpoint is detailed in the LVA (see **Figures 1.3a and b Appendix 1A** for locations). The initial viewpoints were selected during the baseline desktop study and later refined when undertaking the field work.
- 1.10. The views at each viewpoint were recorded using a Canon 6D Full Frame camera and fixed prime lens with a focal length of 50mm. The location was recorded with a GPS unit, with the direction of view and weather noted. The weather conditions at the time of the viewpoint photography were dry with broken light cloud cover.

Visualisations

- 1.11. Photomontages have been produced from four of the eight viewpoints as they will potentially experience varying visibility of the Proposed Development (Viewpoints 3 to 8 and 9, Figures 1.6 a/b/c to 1.11 a/b/c and 1.12 a/b/c) which help to visualise the Proposed Development within the captured view. Each of these visualisations show the Proposed Development at Year 0 (Figure b) with planting and the growth in planting at Year 5 (Figure c).
- 1.12. Photomontages have been produced in accordance with current SNH visualisation and LI guidance. To create the baseline image, the frames are individually cylindrically projected and then digitally joined to create a fully cylindrically projected image using PTGui software. These are used in the creation of the 90 degree field of view photomontages.
- 1.13. The photomontages were modelled using Sketchup© and later edited onto the viewpoint image along with the mitigation planting using Adobe Photoshop© graphics software.
- 1.14. These images should not be viewed directly on a computer screen but printed out at 100% on paper measuring A1 in length (854mm) and ½ A1 in height (297mm) and held at a comfortable arm's length. When printing out please ensure that any page scaling settings is set to none and good quality paper, preferably provided by a professional printer. Each viewpoint has been supplied with six figure grid co-ordinates and bearings to help determine the exact viewpoint spot. These images help to give a representative visual illustration of the Proposed Development's scale when set within the context of the local landscape. It is important to note that the actual view experienced is impossible to replicate fully on paper.



LANDSCAPE, VISUAL AND CUMULATIVE APPRAISAL

Landscape Appraisal

1.15. The landscape appraisal identifies landscape receptors which have the potential to be affected by the Proposed Development and the extent of this interaction throughout all stages of development (construction, operation and decommissioning).

Landscape Sensitivity

1.16. The sensitivity of the landscape receptors is determined by combining judgment of their susceptibility to the particular type of change, or development proposed, and the value attached to the landscape.

Table 1: Landscape Sensitivity

High	A landscape of highly valued characteristics with a high susceptibility of small change resulting from the Proposed Development.
Medium	A landscape of moderately valued characteristics with a moderate level of susceptibility to change from the Proposed Development.
Low	A landscape with low valued landscape characteristics with considerable tolerance to the change from the Proposed Development.
Negligible	A landscape void of any notable value with the lowest susceptibility to change from the Proposed Development.

Landscape Susceptibility

1.17. The susceptibility of a landscape receptor is defined by GLVIA3 (pg.88-89) as:

"The ability of the landscape receptor (whether it be overall character or condition of a particular landscape type or area, or an individual element and/or features, or a particular aesthetic and perceptual aspect) to accommodate the Proposed Development without undue consequences for the maintenance of the baseline situation."

1.18. Key characteristics of the landscape which are likely to have varying degrees of susceptibility to solar farm developments are outlined in the table below.

Landssana	Susceptibility				
Landscape Characteristics	Low	Low- Medium	Medium	Med-High	High

Table 2: Indicative Landscape Characteristics Susceptibility to Solar Farm Developments



Landform	Lowland, flat, simple	Gently undulating lowland	Gently undulating lowland with some distinct open slopes	Prominent slopes or upland landscape	Steep slope, rugged and highly variable landform
Openness and Enclosure Pattern	Heavily Enclosed fields e.g. by woodland, tree shelterbelts or thick hedgerows	Enclosed lands with some open areas or fragmented lengths of hedgerow or tree belts	More mix of enclosed and open areas	Open lands with limited presence of trees or hedgerows	Open, expansive plateau, limited or no field boundaries
Field Pattern/Scale	Large scale, regular field patterns, modern fields	Majority of lands consisting of large scale modern fields	Mix of both modern large scale and smaller historic field system	Majority of lands consisting of smaller intrinsic historic field system	Small scale, irregular field patterns, intrinsic historic field system
Land cover	Urban, brownfield, arable lands	Arable or brownfield with some permanent pasture or semi-natural cover	Mix of pasture, arable and possibly brownfield or semi- natural	Predominan tly permanent pasture with some arable or semi- natural cover	Predominan tly semi- natural lands e.g. moorland with some permanent pasture cover
Perceptual qualities	A lot of evidence of human activity such as industrial areas, arable lands or some rural activity such as mixed or pastoral lands.	A highly shaped rural landscape with intensively farmed large scale arable landscape	More mixed farmland or permanent pasture with strong evidence of human activity	Lesser evidence of human activity present e.g. more exposed uplands	Remote or peaceful landscape, limited evidence of human activity or disturbance , more naturalistic landscape
Scenic quality	Lacking any scenic quality or landscape designation s e.g. an industrial estate	Has low- medium scenic quality but not within any designations	Has medium scenic quality with possibly within a local or county designation	Has a medium- high scenic quality which may contain part of or next to a national	High scenic qualities, typically within a nationally designated landscape e.g.



		designation	National
		or route	Parks, NHAs

Landscape Value

- 1.19. The value of the landscape needs to be considered in order to fully assess the potential impact upon it. This can mean "the landscape as whole, or to individual elements, features and aesthetic or perceptual dimension which contribute to the character of the landscape." (GLVIA3 pg.80).
- 1.20. Identifying any existing landscape designations is a useful way of finding any currently recognised value attached to the landscape. It is also necessary to be aware of the value attached to undesignated landscapes that may be of local importance, e.g. community woodland or greenspaces. Where no value is available it is determined by considering the criteria outlined below in **Table 3 and Table 4** and, **Box 5.1 of GLVIA3**.

Table 3: Criteria for Landscape Value

High	Typically, a national or internationally designation e.g. National Park, National Heritage Area. Has a high quality and very distinctive characteristics of note, with some rarity.
Medium	Typically, a designated landscape of regional/county importance or non-designated but of local importance which may have some conservation, recreational or cultural associations. Common landscape characteristics or features but with some which are distinctive, of reasonable attractiveness and in ordinary to good condition.
Low	Typically, local undesignated landscape which has poorly defined landscape characteristics and features, that are often common and of limited value or interest. May have some limited worthy features. Large presence of detractors adding to its unattractiveness, found in poor condition and in need of improvements.
Negligible	Typically, undesignated landscape, denude of any distinct characteristics or features, derelict, highly unattractive and in need of extensive improvements.

Table 4: Factors Helping to Identify Landscape Value (Box 5.1, GLVIA3)

Factors Helping to Identify Landscape value				
Landscape Quality (Condition)	The degree to which the landscape is representative, intact and condition of individual elements.			
Scenic quality	The extent to which the landscape appeals to the senses (primarily to the visual senses).			
Rarity	The presence of unusual elements or features in the landscape or the presence of a rare Landscape Character Type.			
Representativeness	Whether the landscape contains particular character and/or features or elements which are considered particularly important examples.			
Conservation interests	Presence of ecological, historical or cultural interests which can add value to the landscape as well as having value in themselves.			



Recreational value	Evidence that the landscape is valued for recreational activity where experience of the landscape is important, such as recognised scenic routes
Perceptual aspects	A landscape may be valued for it perceptual qualities, notably wildness and/or tranquillity.
Associations	Some landscapes are associated with particular people, such as artists or writers, or events in history that contribute to perceptions of the natural beauty of the landscape.

Magnitude of Landscape Effects

1.21. The effects of the Proposed Development upon each of the landscape receptors needs to be determined in terms of its size or scale, geographical extent, duration and reversibility, as outlined by paragraph 5.49 of GLVIA3.

Table 7	7:	Magnitude	of	Landscape	Effects
---------	----	-----------	----	-----------	---------

High (Adverse)	Total loss of, or major alteration to key elements/features/characteristics of the baseline, i.e. pre-development landscape and/or introduction of elements considered to be totally uncharacteristic when set within the attributes of the receiving landscape.
Medium (Adverse)	Partial loss of, or alteration to key elements/features/characteristics of the baseline, i.e. pre-development landscape and/or introduction of elements that may be prominent, but may not necessarily be considered to be substantially uncharacteristic when set within the attributes of the receiving landscape.
Low (Adverse)	Minor loss of, or alteration to key elements/features/characteristics of the baseline, i.e. pre-development landscape and/or introduction of elements that may not necessarily be considered to be uncharacteristic when set within the attributes of the receiving landscape.
Negligible (Adverse)	Very minor loss of or alteration to key elements/features/characteristics of the baseline, i.e. pre-development landscape and/or introduction of elements that are not uncharacteristic with the surrounding landscape approximating the ' <i>no change</i> ' situation.
Low (Beneficial)	Minor improvement, or removal of small elements/features/characteristics that detract from the existing characteristics of the baseline and/or introduction of a new feature which fits into the existing landscape and may slightly enhance the existing character of the landscape.
Medium (Beneficial)	Medium improvement, or removal of small elements/features/characteristics that detract from the existing characteristics of the baseline and/or introduction of a new feature which fits into the existing landscape and may moderately enhance the existing character of the landscape.



High	Major improvement, or removal of small elements/features/characteristics that detract from the existing characteristics of the baseline and/or
(Beneficial)	introduction of a new feature which fits into the existing landscape and may substantially enhance the existing character of the landscape.



Visual Appraisal

1.22. The visual appraisal considers how the Proposed Development and loss, or addition of landscape elements will bring about changes to the content and character of people's (visual receptors) existing views and visual amenity, throughout all stages of the development.

Visual Sensitivity

1.23. The sensitivity of each visual receptor (person or group of people) is assessed in terms of susceptibility to change in views and visual amenity and also the value attached to particular views.


Susceptibility to Change

- 1.24. Visual receptors generally have differing responses to views and visual amenity, depending upon the context and their purpose for being in a particular place. The susceptibility to change in views is regarded to be a function of:
 - The occupation or activity of people experiencing the view at particular locations; and
 - The extent to which their attention or interest may be focused on the views and visual amenity at particular locations.
- 1.25. The table below identifies a number of indicative receptors typical of those found within the study zone.

Table 8: Susceptibility of Receptors to Change in their Views or Visual Amenity

High	 Residents with views from their dwellings or gardens. Nationally recognised trails where views of the landscape forms an importance part of their experience. Road users along routes noted for their valued views of the landscape e.g. scenic routes. Visitors to important landscape features of physical, historical or cultural interest.
Medium	 People along local paths or roads where views of the landscape are not the focus of the activity e.g. dog walking. Outdoor workers where the view forms an important setting to their activity. Road users where views of the surroundings are secondary to the main purpose of travel e.g. rural minor road.





Value Attached to Particular Views

- 1.26. Judgments are made on the value attached to views experienced, which take the following into consideration:
 - Recognised value to a particular view, e.g. heritage assets or through planning designations e.g. protected views and scenic routes;
 - Inclusion in guidebooks or on tourist maps, provision of facilities provided for enjoyment by visitors or references to the view in literature or art; and
 - The relative number of people who are likely to experience the view.

Magnitude of Visual Effects

1.27. The magnitude of visual effects of a Proposed Development upon the views of receptors and their amenity is determined in terms of the size or scale, geographical extent, duration and reversibility (as outlined by paragraph 6.38 of GLVIA3).

High (Adverse)	A considerable deterioration in the existing view due to the introduction of the development's new features which would have a high contrast, very prominent and/or open impact on the view. The development would heavily occupy the views of the receptors.
Medium (Adverse)	A noticeable deterioration in the existing view where there would be a partial loss of, or alteration to the existing view as a result of the prominence of the development or extent of view it occupied.
Low (Adverse)	A barely perceptible deterioration in the existing view and limited views of the development. A minor loss of, or alteration to the existing views. The development would not be prominent and only occupies a small proportion of the view.
Negligible (Adverse)	No discernible deterioration or improvement in the existing view. Very minor loss of, or alteration to the existing view. Hard to clearly distinguish the development within the view.

Table 9: Magnitude of Visual Effect



Low (Beneficial)	A barely perceptible improvement in the existing view and limited views of the development. A minor addition of elements, or screening or removal of elements which already detract from the existing view.
Medium (Beneficial)	A noticeable improvement in the existing view, due to the addition of new elements, or the screening or removal of elements which already detract from the existing view.
High (Beneficial)	A considerable improvement in the existing view due to the introduction of the development's new features, the removal or screening of elements which already are detrimental upon the existing views.

Degree of Landscape and Visual Effects

- 1.28. A professional judgement is made by the landscape architect on the degree of effects a Proposed Development will have on those previously identified landscape and visual receptors which have the potential to be affected by the development. This is done by combining the level of sensitivity with the level of magnitude of change to provide the effects for each receptor. These effects are graded as Major, Major/Moderate, Moderate, Moderate, Moderate, Minor, Minor or No Change, either direct or indirect effects and can be characterised as adverse or beneficial.
- 1.29. This determination requires the application of professional judgement and experience to take on board the many different variables which need to be considered, and which are given different weight according to site specific and location specific considerations in every instance. Judgements are made on a case-by-case basis guided by the principles set out in the table below.

Table 10: Degree of landscape and visual effects






Table 11: Landscape and visual effects Criteria

Degree of Effect	Landscape Character	Visual Amenity
Major Adverse	Large scale changes in the landscape with a complete change to the character and permanent degradation of the landscape.	Large scale change where the development would dominate views
Moderate Adverse	The development would have a noticeable change to the landscape where it would appear to be out of place.	The development would have a noticeable change to views



Minor Adverse	The development would be slightly at odds with the landscape.	The development would cause little damage to views
No Change	The development would have no noticeable change to the landscape	The development would be barely noticeable.
Minor Beneficial	The development would have some improvements on the landscape character and site elements.	The development would result in a slight improvement to views
Moderate Beneficial	The development would have notable improvements on the landscape character and quality	The development would have a notable improvement to views
Major Beneficial	The development would result in significant improvements on the landscape character and quality	The development would result in significant improvements to views

Cumulative Effects

1.30. The cumulative appraisal follows the same approach as the GLVIA outlined above. It considers the potential effects of additional Proposed Development interacting with the effects of other similar types of development across the focused 2km baseline study area, this is not just restricted to an appraisal of other solar farm development in the area. Cumulative effects are defined by the GLVIA3 paragraph 7.2 as:

"Result from additional changes to the landscape or visual amenity caused by the Proposed Development in conjunction with other developments (associated with or separate to it), actions that occurred in the past, present or are likely to occur in the foreseeable future."

Cumulative Data

- 1.31. A cumulative search was made on Torridge online planning application portal on the 2nd February 2021 for:
 - Any existing developments already present in the landscape;
 - Any consented developments which have not yet been constructed; and
 - Any pending development applications currently lodged within the planning processes.



Technical Appendix 1: Landscape & Visual Impact Appraisal Appendix 1C

1.32. The addition of the Proposed Development to the baseline of existing operational, under construction and consented developments is considered in the appraisal.

Residential Visual Amenity

- 1.33. The Landscape Institute published Residential Visual Amenity Assessment (RVAA) Guidance⁴ in 2019. The RVAA guidance introduces an approach to considering a potential 'Residential Visual Amenity Threshold', beyond which effects may be of *"such nature and/or magnitude that it potentially affects 'Living Conditions' or residential Amenity"* (Para. 2.1, Page 5).
- 1.34. The LVA identified a number of properties with potential for partly screened views of parts of the overall Proposed Development. Effects on residential visual amenity identified in the LVA are not considered to reach a threshold by which an RVAA would be required therefore a full RVAA has not been undertaken.

⁴ Landscape Institute 2019 Residential Visual Amenity Assessment (RVAA) Technical Guidance Note 2/19

